# DataTrac<sup>®</sup> SVT<sup>™</sup> STEMCO FLEET MANAGER APP

## Programming your DataTrac<sup>®</sup> SVT<sup>™</sup>

The following instructions are a guide to download and sync the app with your DataTrac<sup>®</sup> SVT<sup>™</sup>.

### **DOWNLOAD THE APP**

1. Search for and download the STEMCO Fleet Manager App on your Android or Apple device.



#### **PROGRAMMING YOUR DATATRAC<sup>®</sup> SVT<sup>™</sup>**

2. Launch the application by pressing the SVT lcon. You will then need to provide approval for the application to access Bluetooth and GPS and acknowledge the Terms of Use and Privacy Policy. Next, you will see the below screen. If you plan to use STEMCO Web Portal or Sync Server Solution then setup your account and login BEFORE programming your SVT. If you don't plan to use either of the STEMCO cloud solutions then you can Select "No Sync SVT Programmer".



**IMPORTANT** - Before programming a DataTrac SVT, it is necessary to determine which of the three syncing options will be used for the fleet. The three options are:





STEMCO

DataTrac<sup>®</sup>SV/T

Welcome	
Login to your fleet's Web Por	tal account!
Company Id	×
User ID	×
Password	Ø
Logi	in
Don't have a Web Press the Request a Web and follow emai	Portal Account button
Request a Web F	Portal Account

4. Selecting Sync Server Solution will take you to this screen where you will see three options. To join an existing company, you will need an invite code and will need to fill out a form. To create a new company, you will be directed to a screen to fill out a form. Finally, you may also sign in to an existing company using your email address and password.



Join existing company
Create a new company
Sign in to your company!

FEATURE	NO SYNC	SYNC SERVER SOLUTION	WEB PORTAL SOLUTION
Cell Phone App Compatabile	$\checkmark$	✓	$\checkmark$
Software Fees	Free	Free	Trial period followed by paid subscription
User Management Model	None	Basic, cell phone app based	Full, user management control on web portal
Security Model	None	Basic	Enhanced
Reprogrammable DataTrac SVT Security Model	None, ANYONE can reprogram DataTrac SVT	Basic, only fleet account app users can reprogram DataTrac SVT	Enhanced, only fleet account app users can reprogram DataTrac SVT
Multi-User Data Syncing	×	✓	✓
User Permission Tri-Level Contols (Admin, Power, Base)	×	1	1
Multi-Terminal Support	×	×	✓
Gate Reader Compatible	×	×	1
Historical Record Retention	×	<b>X</b> *	🗸 (5 years)
Web Portal Interface	×	×	1
Business System API Integration Available	×	×	1
Fuel and Fluids Logging	X	X	1

\* Customer can email real-time snapshots of information to a csv spreadsheet compatible file.

## **Programming your DataTrac<sup>®</sup> SVT**<sup>™</sup>



5. Once you have logged in to Sync Server, you can select the three bars on the top left corner to access the menu. From here you can select Manage User to invite users by entering their email address. They will be sent a code, which will be entered when they select 'Join an existing company'. NOTE: Manage user is only available in the Sync Server Solution.

6. You will see a list

SVT<sup>™</sup> devices. To

identify the device

place the device

will move the device



8. Then press "Program DataTrac<sup>®</sup> SVT<sup>™</sup>". NOTE: If you program more than one sensor choose a unique vehicle name.

	Program DataTrac SVT 🛛 🌣
Seri	al Number 0002102/45_3
	oort Vehicle
ŝ	Vehicle Number Default
VIN	Manufacturer Vehicle ID# (VIN)
¢,	Tire Revolutions/mi 500
001	Life Distance (mi)

9. You will then be taken to this screen while the programming occurs. This will take about 20 seconds.



Programming Status

۰

NOTE: The DataTrac SVT will show the REV ### programmed for about 2 seconds and then display the preset life Distance on the screen.

NOTE: The light sensor bubble has no functionality in the DataTrac SVT.



- 11. Once the device has been programmed, it will show up in the Paired Vehicles list.
- 12. If you want to change any of the programmable parameters, select the vehicle and press the "Reprogram DataTrac®" at the bottom on the screen.

≡ st	EMCO FI	eet Manager 🛛 🌣
Paired V	/ehicles (1)	Unprogrammed (2)
▼ Display	Options	
?	Default <sup>Unknown</sup> 37 mi	() 09:24AM Jan-08 2001 Unknown Revs: <b>500</b>



to the top of the list. Make sure your other devices are placed vertically. This will allow the horizontally aligned device to be first on the list, as shown in the below photo. Note: The serial number that shows up on the app is also laser marked on the front face of the DataTrac<sup>®</sup> SVT<sup>™</sup>. You will be able to identify the device that way as well.

7. After you have identified the device you'd like to program, click into the device and select "Program DataTrac<sup>®</sup> SVT<sup>™</sup>" at the bottom of the screen.



10. After the programming is complete, you will be taken to the Vehicle Details screen. From here, you can press the back button to return to the main screen.

<	Vehicle Details 🛛 🌣
	?
ehicle	Asset # : Default
Manut Unknor	facturer Year Model wn 2001 Unknown
001	Life Distance mi Nov-28 09:22AM 37
VIN	Vehicle ID Number QQQ20000000000002
A	License Plate Number Default
	Hubodometer > 500 Tire Revolutions/mi

#### Making the Roadways Safer®

STEMCO - USA 300 Industrial Drive - Longview, TX 75602 • (903) 758-9981 • 1-800-527-8492 • FAX: 1-800-874-4297 STEMCO - Canada 1020 Lorimar Drive – Mississauga, ON L55 1R8 • (905) 206-9700 • 877-232-9111 • FAX: 877-244-4555 STEMCO is a registered trademark of STEMCO Products, Inc. © 2024 STEMCO Products, Inc. • Printed in the USA www.stemco.com

